Journal of Applied Polymer Science

Author Index to Volume 57

Abusamah, A. See Rozman, H. D., 1291

Acosta, J. L.
—; Jurado, J. R.: High T_c Superconductor Polymer Composite Based on $YBa_2Cu_3O_{7-x}$. II. Conduction Mechanisms and Temperature Effect on Conductive and Dielectric Properties of Polypropylene Composites, 431

Adkins, J. D. See Boyle, M. E., 77

Agarwal, S. See Banerjee, S., 1483

Albertsson, A.-C.
—; Eklund, M.: Influence of Molecular Structure on the Degradation Mechanism of Degradable Polymers: *In Vitro* Degradation of Poly(trimethylene carbonate), Poly(trimethylene carbonate-*co*-caprolactone), and Poly(adipic anhydride), 87

Alcántar, N. A.
—; Salinas, M. del R.; Herrera, R.; Manero, O.: Rheological Characterization of 4,4′-*Bis*(diethylamino)benzophenone-Functionalized Polybutadienes with Low and Medium Vinyl Content, 1173

Alexandrova, I.
—; Iordanov, G.: Copper (II) Transfer Through Carboxylic Ion-Exchange Membranes Prepared by Paste Method, 1315

Alexandrova, L. See Likhatchev, D., 37

Ali, S. A. See Yahya, G. O., 343

Al-Naafa, M. A. See Yahya, G. O., 343

Aminabhavi, T. M.
—; Phayde, H. T. S.: Sorption, Desorption, Resorption, Redesorption, and Diffusion of Haloalkanes into Polymeric Blend of Ethylene–Propylene Random Copolymer and Isotactic Polypropylene, 1419

Andreassen, E.
—; Grøstad, K.; Myhre, O. J.; Braathen, M. D.; Hinrichsen, E. L.; Syre, A. M. V.; Løvgren, T. B.: Melting Behavior of Polypropylene Fibers Studied by Differential Scanning Calorimetry, 1075

Angiolini, L.
—; Caretti, D.; Carlini, C.: Polymeric Systems Bearing Side-Chain 2,6-Dimethylbenzoyldiphenylphosphinoxide Moieties for UV Curable Coatings: Synthesis and Photoinitiation Activity, 519

Anzai, J. See Kawakami, H., 789

Apostolo, M. See Canegallo, S., 1333; Durackova, S., 639

Arishima, K. See Hoshino, M., 921

Asua, J. M. See De La Cal, J. C., 1063; Echevarria, A., 1217

Athalye, A. R. See Shukla, S. R., 983

Avirah, S. A.
—; Joseph, R.: Studies on Natural Rubber Bound Para-Phenylenediamine Antioxidants in NBR, 1511

Bafna, S. S.
Attached Application of Statistical Process Control to Rheological Measurements, 1233

Bagryansky, V. A. See Kuznetsov, A. Y., 201

Bai, R. See Tong, J., 895

Baker, F. L. See Lehrfeld, J., 385

Banerjee, S.
—; Semwal, R. P.; Agarwal, S.: Measurement of Diffusivities of Sulfur Mustard (SM) and Its Analog Oxygen Mustard (OM) in Cured Butyl, Nitrile, and Natural-Rubber Sheets by Weight Gain and FT–IR–ATR Methods, 1483

Bartsch, R. A. See Zhao, Q., 1465

Basu, D. K. See Debnath, S. C., 555

Belfiore, L. A. See Rakow, A. L., 139

Bell, J. P. See Lee, C. S., 931

Benghalem, A. See Bouzon, J., 1557

Bhagawan, S. S. See George, J., 843

Bharel, R.
—; Choudhary, V.; Varma, I. K.: Physicomechanical Properties of Poly(methyl methacrylate-*co*-*N*-arylmaleimides), 767

Bhattacharya, M.
—; Vaidya, U. R.; Zhang, D.; Narayan, R.: Properties of Blends of Starch and Synthetic Polymers

Containing Anhydride Groups. II. Effect of Amylopectin to Amylose Ratio in Starch, 539
Bhowmick, A. K.
—; Konar, J.; Kole, S.; Narayanan, S.: Surface Properties of EPDM, Silicone Rubber, and Their Blend During Aging, 631
Bi, D. See Connell, J. W., 1251
Bodek, K. H.
—; Kufelnicki, A.: Protolytic and Complexing Properties of Microcrystalline Chitosan with Co(II), Zn(II), and Cu(II) Ions, 645
Bouzon, J.
—; Benghalem, A.: Absorption–Desorption Histories Through a Sphere with a Change in Dimensions, with Constant Concentration on Surface During Absorption, and Finite Volume of Surrounding During Desorption, 1557
Boyle, M. E.
—; Adkins, J. D.; Snow, A. W.; Cozzens, R. F.; Brady, R. F., Jr.: Synthesis and Characterization of Melt-Polymerizable Aminophthalocyanine Monomers, 77
Braathen, M. D. See Andreassen, E., 1075
Brady, R. F., Jr. See Boyle, M. E., 77
Braglia, R. See Penco, M., 329
Bremner, T.
—; Rudin, A.: Effect of Antioxidant on Peroxide Modification of LLDPE, 271
Bromberg, L.
Nonaqueous Chromatography of Biopolymers by Means of Their Poly(ethylene glycol)-Mediated Solubilization in Alcohols, 145
Brouwer, E. C. P. See Noël, L. F. J., 245
Brown, R. A. See Paplham, W. P., 133
Budtova, T.
—; Suleimenov, I.: Physical Principles of Using Polyelectrolyte Hydrogels for Purifying and Enrichment Technologies, 1653
Bullwinkel, M. D. See Gu, J., 717
Burghardt, W. R. See Zryd, J. L., 1525
Burmeister, L. C. See Hardin, R. A., 121

Cádiz, V. See Galià, M., 413
Campbell, G. A. See Gu, J., 717
Canegallo, S.
—; Apostolo, M.; Storti, G.; Morbidelli, M.: On-line Conversion Monitoring through Ultrasound Propagation Velocity Measurements in Emulsion Polymerization, 1333
—; See Durackova, S., 639
Canevarolo, S.
—; De Candia, F.: Stereoblock Polypropylene/Isotactic Polypropylene Blends. III. Isothermal Crystallization Kinetics of iPP Component, 533
Capel, M. See Lu, S. X., 1359
Caretti, D. See Angiolini, L., 519
Carlini, C. See Angiolini, L., 519
Castiglioni, G. See Tonelli, C., 1031
Castro, E. See Morales, G., 997
Cebe, P. See Lu, S. X., 1359
Chang-Chien, G.-P. See Lee, W. S., 1183
Chao, D. Y. See Lee, J. J., 1005
Chen, J.-C. See Wang, H.-H., 671
Chen, J.-M.
—; Woo, E. M.: Sequential Crystallization Kinetics of Poly(*p*-phenylene sulfide) Doped with Carbon or Graphite Particles, 877
Chen, X. See Liao, K., 1245
Chen, Y.
—; Chen, Y.-H.: Preparation and Solution Properties of Ionomer Originated from Styrene–Coumarin Copolymer, 255
Chen, Y.-H. See Chen, Y., 255
Cheng, L.-P.
—; Dwan, A.-H.; Gryte, C. C.: Measurements of Mutual Diffusivities in Concentrated Solutions of Membrane-Forming Polyamides and Cellulose Acetate, 563
Chern, Y.-C. See Lee, C.-F., 591
Chi, W. See Fai, W. K., 1285
Chi, Z. K. See Lee, J. J., 1005
Chiang, S. Y. See Hsu, K. C., 1205
Chiu, W.-Y. See Lee, C.-F., 591
Cho, W.-J. See Gam, G.-T., 219
Choudhary, V. See Bharel, R., 767
Church, J. S.
—; Evans, D. J.: The Quantitative Analysis of Fluorocarbon Polymer Finishes on Wool by FT-IR Spectroscopy, 1585
Coffin, D. R.
—; Fishman, M. L.; Cooke, P. H.: Mechanical and Microstructural Properties of Pectin/Starch Films, 663
Connell, J. W.
—; Crivello, J. V.; Bi, D.: Effect of Low Earth Orbit Atomic Oxygen Exposure on Epoxy Functionalized Siloxanes, 1251
Cooke, P. H. See Coffin, D. R., 663
Cozzens, R. F. See Boyle, M. E., 77
Crane, E. A. See Sutter, J. K., 1491
Crivello, J. V. See Connell, J. W., 1251
Cuculo, J. A. See Denton, J. S., 939

D'Amore, A. See Di, Y., 989
De Candia, F. See Canevarolo, S., 533

De La Cal, J. C.
—; Echevarria, A.; Meira, G. R.; Asua, J. M.: Minimum-Time Strategy to Produce Nonuniform Emulsion Copolymers. I. Theory, 1063
—; See Echevarria, A., 1217
Debnath, S. C.
—; Mandal, S. K.; Basu, D. K.: A New Synergistic Combination of Safe Accelerators for the Improvement of Physical Properties in Gum and Filled Vulcanizates, 555
Denton, J. S.
—; Cuculo, J. A.; Tucker, P. A.: Computer Simulation of High-Speed Spinning of PET, 939
Di, Y.
—; D'Amore, A.; Marino, G.; Nicolais, L.; Li, B.: Physical Aging of High-Performance Thermoplastics: Enthalpy Relaxation in PEK-C and PES-C, 989
Dimov, A. See Godjevargova, T., 487
Dupuy, J. See McKenna, T. F., 371
Durackova, S.
—; Apostolo, M.; Canegallo, S.; Morbidelli, M.: Estimation of Critical Micellar Concentration Through Ultrasonic Velocity Measurements, 639
Dwan, A.-H. See Cheng, L.-P., 563

Echevarria, A.
—; De La Cal, J. C.; Asua, J. M.: Minimum-Time Strategy to Produce Nonuniform Emulsion Copolymers. II. Open-Loop Control, 1217
—; See De La Cal, J. C., 1063
Eklund, M. See Albertsson, A.-C., 87
El Fattach, S. A. See Khalil, M. I., 335
Eliseeva, I. M. See Lin, D. G., 1269
El-Naggar, A. M. See Gawish, S. M., 45
El-Said, A. M. See Hamza, A. A., 265
El-Tonsy, M. M. See Hamza, A. A., 265
Enikolpian, N. S. See Rogovina, S. Z., 439
Epstein, M.
—; Shishoo, R. L.: Studies of the Effect of Fiber Surface and Matrix Rheological Properties on Nonwoven Reinforced Elastomer Composites, 751
Escoubes, M. See Rebattet, L., 1595
Evans, D. J. See Church, J. S., 1585

Fai, W. K.
—; Chi, W.; Zhu, M. D.; Lie, L. X.: Molecular Weight Distribution of a Segmented Copolymer of PET–PCL, 1285
Farag, S. See Khalil, M. I., 335
Favis, B. D. See Fellahi, S., 1319
Feijen, J. See Terlingen, J. G. A., 969
Fellahi, S.
—; Fisa, B.; Favis, B. D.: Weldline Strength in Injection Molded HDPE/PA6 Blends: Influence of Interfacial Modification, 1319
Feng, X. See Huang, R. Y. M., 613
Feng, Z. See Han, Y., 655
Filimonova, L. V. See Gorelova, M. M., 227
Fisa, B. See Fellahi, S., 1319
Fishman, M. L. See Coffin, D. R., 663
Flesher, L. M. See Hester, R. D., 1105
Fouda, A. See Yamasaki, A., 1473
Fouda, I. M. See Hamza, A. A., 265
Fredricks, R. E.
Density Gradient Columns Made of Water and Sodium Bromide Solutions with Isopropyl Alcohol as a Wetting Agent (Note), 509
Friedrich, C.
—; Scheuchenpflug, W.; Neuhäusler, S.; Rösch, J.: Morphological and Rheological Properties of PS Melts Filled with Grafted and Ungrafted Glass Beads, 499
Fukuda, W. See Iijima, T., 819
Furukawa, J.
Thermodynamical Approach to Polymer Rheology, 1095
Furukawa, J.
Transition Points of Polymer, 1085

Galembeck, F. See Teschke, O., 1567
Galià, M.
—; Serra, A.; Mantecón, A.; Cádiz, V.: Curing Reaction of Diglycidylesters Containing Alicyclic Imide Structures with Anhydrides and Amines as Hardeners, 413
Gallo, R. See Pegoraro, M., 421
Gam, G.-T.
—; Jeong, J.-G.; Lee, N.-J.; Lee, Y.-W.; Ha, C.-S.; Cho, W.-J.: Synthesis and Biological Activities of Copolymers of *N*-Glycinyl Maleimide with Methacrylic Acid and Vinyl Acetate, 219
Garbassi, F. See Penco, M., 329
Gawish, S. M.
—; Kantouch, A.; El-Naggar, A. M.; Mosleh, S.: Gamma Preirradiation and Grafting of 2*N*-Morpholino Ethyl Methacrylate onto Polypropylene Fabric, 45
Genies, E. See Rebattet, L., 1595
George, J.
—; Bhagawan, S. S.; Prabhakaran, N.; Thomas, S.: Short Pineapple-Leaf-Fiber-Reinforced Low-

Density Polyethylene Composites, 843
—; Joseph, R.; Thomas, S.; Varughese, K. T.: High Density Polyethylene/ Acrylonitrile Butadiene Rubber Blends: Morphology, Mechanical Properties, and Compatibilization, 449
German, A. L. See Noël, L. F. J., 245
Gerritsen, H. F. C. See Terlingen, J. G. A., 969
Giannotta, G. See Penco, M., 329
Giuliani, B. V. M. K.
—; McGill, W. J.: Tetramethylthiuram Disulfide and 2-Mercaptobenzothiazole as Binary Accelerators in Sulfur Vulcanization. I. Exchange Reactions Between the Accelerators and Sulfur in the Absence of Rubber, 1391
Godjevargova, T.
—; Dimov, A.: Grafting of Acrylonitrile Copolymer Membranes with Hydrophilic Monomers for Immobilization of Glucose Oxidase, 487
Goethals, E. J. See Tong, J., 895
Gorelova, M. M.
—; Pertsin, A. J.; Volkov, I. O.; Filimonova, L. V.; Makarova, L. I.; Zhdanov, A. A.: Surface Behavior of Dilute Blends of Poly(vinyl chloride) with Siloxane–Urethane–Ethyleneoxide Oligomers, 227
Gorgol, A. See Rayss, J., 1119
Graiver, D.
—; Hyon, S.-H.; Ikada, Y.: Poly(vinyl alcohol)–Poly(sodium acrylate) Composite Hydrogels. I. Kinetics of Swelling and Dehydration, 1299
Grakovich, P. N. See Krasovsky, A. M., 117
Grøstad, K. See Andreassen, E., 1075
Gryte, C. C. See Cheng, L.-P., 563
Gu, J.
—; Bullwinkel, M. D.; Campbell, G. A.: Solvent Concentration Measurement for Spin Coating, 717
Guerrero-Santos, R. See Morales, G., 997
Gupta, B.
—; Haas, O.; Scherer, G. G.: Proton Exchange Membranes by Radiation Grafting of Styrene onto FEP Films. IV. Evaluation of the States of Water, 855
Gupta, S. K. See Sareen, R., 209

Ha, C.-S. See Gam, G.-T., 219
Haas, O. See Gupta, B., 855
Haddadi-Asl, V.
—; Kazacos, M.; Skyllas-Kazacos, M.: Carbon–Polymer Composite Electrodes for Redox Cells, 1455
Hamad, E. Z. See Yahya, G. O., 343
Hamerton, I. See Pielichowski, K., 1025
Hamza, A. A.
—; El-Tonsy, M. M.; Fouda, I. M.; El-Said, A. M.: Colorimetric Evaluation of Thermooxidative Degradation of Nylon 6 Fibers, 265
Han, Y.
—; Yang, Y.; Li, B.; Wang, X.; Feng, Z.: Fracture Toughness of Phenolphthalein Polyether Ketone, 655
Hardin, R. A.
—; Burmeister, L. C.: Flow Properties at Elevated Temperatures and Clarity of HSPAN Gel–Water Dispersions, 121
Hatori, H.
—; Yamada, Y.; Shiraishi, M.: Preparation of Macroporous Carbons from Phase-Inversion Membranes, 871
Heino, M. T. See Holsti-Miettinen, R. M., 573
Herrera, R. See Alcántar, N. A., 1173
Hester, R. D.
—; Flesher, L. M.: Use of Factorial Experimental Design in Static and Dynamic Light Scattering Characterization of Water-Soluble Polymers, 1105
Hill, D. J. T.
—; O'Donnell, J. H.; Perera, M. C. S.; Pomery, P. J.; Smetsers, P.: Mechanism of Radiation Vulcanization of Natural Rubber Latex Sensitized by Monoacrylates, 1155
Hinkley, J. A.
—; Yue, J. J.: Oxidative Aging of Thermoplastic Polyimide Films, 1539
Hinrichsen, E. L. See Andreassen, E., 1075
Höcker, H. See Lorenz, G., 391
Hoffman, A. S. See Terlingen, J. G. A., 969
Holsti-Miettinen, R. M.
—; Heino, M. T.; Seppälä, J. V.: Use of Epoxy Reactivity for Compatibilization of PP/ PBT and PP/LCP Blends, 573
Hong, S. I. See Lee, T. S., 311
Hoshino, M.
—; Arishima, K.: Survey of Preparation Techniques of Monodispersed Microspheres of Glycidyl Methacrylate and Its Derivatives, 921
Hossain, M. A. See Khan, M. A., 953

Hsieh, K. H.
—; Hung, W. Y.; Liao, D. C.; Kao, S. C.: Graft-Interpenetrating Polymer Networks of Polyurethane and Bismaleimide, 319
Hsu, K. C.
—; Lee, Y. F.: Water-Soluble Sulfonated Phenolic Resins. I. Synthesis, 1501
—; Lee, Y. F.; Chiang, S. Y.: Water-Soluble Sulfonated Phenolic Resins. II. Surface Property and Effectiveness as a Dispersing Agent, 1205
Hu, G.-H. See Sun, Y.-J., 1043
Hu, Q. See Ni, Y., 1441
Huang, N. See Tang, Z., 473
Huang, R. Y. M.
—; Feng, X.: Studies on Solvent Evaporation and Polymer Precipitation Pertinent to the Formation of Asymmetric Polyetherimide Membranes, 613
Huang, S. See Ping, L., 113
Huang, Y. See Jiang, S. H., 493
Huang, Y.-B.
—; Wessel, T. E.: Development of a Gel-Counting Technique for Quantifying Cleanliness of Film-Grade Resins, 1227
Huijts, R. A. See Jager, J., 1429
Hung, W. Y. See Hsieh, K. H., 319
Hyon, S.-H. See Graiver, D., 1299

Ibarra, L.
—; Macías, A.; Palma, E.: Viscoelastic Properties of Short Carbon Fiber Thermoplastic (SBS) Elastomer Composites, 831
Idriss, K. M. I. See Khan, M. A., 953
Iijima, T.
—; Miura, S.; Fukuda, W.; Tomoi, M.: Toughening of Aromatic Diamine-Cured Trifunctional Epoxy Resins by Modification with *N*-Phenylmaleimide-Styrene Copolymers Containing Pendant *p*-Hydroxyphenyl Groups, 819
Ikada, Y. See Graiver, D., 1299
Iordanov, G. See Alexandrova, I., 1315
Iso, M. See Omi, S., 1013

Jabbari, E.
—; Peppas, N. A.: Quantitative Measurement of Interdiffusion at Polymer–Polymer Interfaces With TEM/EDS and EELS, 775
Jager, J.
—; Juijn, J. A.; Van Den Heuvel, C. J. M.; Huijts, R. A.: Poly(ethylene-2,6-naphthalenedicarboxylate) Fiber for Industrial Applications, 1429
Jegal, J. See Kim, J.-H., 1637
Jeong, J.-G. See Gam, G.-T., 219
Jiang, S. H.
—; Huang, Y.; Shen, J. R.: Effects of Cholesteric Order on Mechanical Properties of (E-CE)C/PAA Composites, 493
Jo, W. H. See Kim, H. J., 63
Jobe, J. M. See Sutter, J. K., 1491
Joseph, R. See Avirah, S. A., 1511; George, J., 449
Juijn, J. A. See Jager, J., 1429
Jurado, J. R. See Acosta, J. L., 431

Kajitani, T.
—; Uosaki, Y.; Moriyoshi, T.: Orientation in Uniaxially Drawn Polystyrene Plasticized by CO_2 Sorption, 587
Kalkar, A. K.
—; Parkhi, P. S.: Compatibility in Polymer/Plasticizer Blend System: Thermal, X-ray, and Dynamic Mechanical Studies of PMMA/PTBF Blends, 233
Kaluyzhnaya, E. See Morales, G., 997
Kaneko, K. See Omi, S., 1013
Kang, Y. S. See Kim, H. J., 63
Kantouch, A. See Gawish, S. M., 45
Kao, S. C. See Hsieh, K. H., 319
Kasai, P. H.
Perfluoropolyethers with Acid End Groups: Amphiphilicity and Emulsification, 797
Katami, K. See Omi, S., 1013
Kawakami, H.
—; Anzai, J.; Nagaoka, S.: Gas Transport Properties of Soluble Aromatic Polyimides with Sulfone Diamine Moieties, 789
Kazacos, M. See Haddadi-Asl, V., 1455
Keshavaraj, R.
—; Tock, R. W.; Nusholtz, G. S.: A Simple Neural Network-Based Model Approach for Nylon 66 Fabrics Used in Safety Restraint Systems —A Comparison of Two Training Algorithms, 1127
Khalil, M. I.
—; Farag, S.; El Fattach, S. A.: Hydrolysis of Poly(acrylamide)–Starch Graft Copolymer, 335
Khan, M. A.
—; Idriss, K. M. I.; Zaman, M. M.; Hossain, M. A.: Codiluent Effect on the Properties of UV-Cured Films, 953
Khosravi, N.
—; Warner, S. B.; Murthy, N. S.; Kumar, S.: Morphology of Gel-Spun Polyethylene Fibers, 781
Kim, H. J.
—; Jo, W. H.; Kang, Y. S.: Modified Free-Volume Model for Pervaporation of Water/Ethanol Mixtures Through Membranes Containing Hydrophilic Groups or Ions, 63

Kim, H. S.
—; Wang, X. M.: Temperature and Frequency Effects on Fatigue Crack Growth in Acrylonitrile–Butadiene–Styrene (ABS), 811
Kim, H.-J.
—; Mizumachi, H.: Miscibility Between Components of Acrylic Pressure-Sensitive Adhesives: Phase Diagrams of Poly(butyl acrylate-*co*-acrylic acid) and Esterified Rosins, 175
Kim, J.-H.
—; Park, Y.-I.; Jegal, J.; Lee, K.-H.: The Effects of Spinning Conditions on the Structure Formation and the Dimension of the Hollow-Fiber Membranes and their Relationship with the Permeability in Dry–Wet Spinning Technology, 1637
Kim, K. J.
—; Kim, Y. Y.; Yoon, B. S.; Yoon, K. J.: Adiabatic Anionic Polymerization Mechanism and Kinetics of ϵ-Caprolactam In the Presence of Various Activators, 1347
Kim, Y. S.
—; Sung, C. S. P.: UV and Fluorescence Characterization of Styrene and Methyl Methacrylate Polymerization, 363
Kim, Y. Y. See Kim, K. J., 1347
Kinami, N. See Okamoto, M., 1055
Kjellqvist, K.
—; Rassing, J.; Wesslén, B.: Surface Reactive Acetal Functional Waterborne Core–Shell Particles, 1381
Klee, D. See Lorenz, G., 391
Kleinke, M. U. See Teschke, O., 1567
Kole, S. See Bhowmick, A. K., 631
Konar, J. See Bhowmick, A. K., 631
Koo, J.-K. See Oh, S., 1277
Koros, W. J. See Moaddeb, M., 687
Kostov, G. K.
—; Nikolov, Al. T.: Study of Radical Copolymerization of Tetrafluoroethylene with Ethylene in Suspension, 1545
Krasovsky, A. M.
—; Tolstopyatov, E. M.; Grakovich, P. N.: Deposition of Poly-*p*-xylylene Films by Plasma Decomposition of Cyclodi-*p*-xylylene (Note), 117
Król, P.
Generalization of Kinetics in the Reaction of Isocyanates and Polyols for Modeling a Process-Yielding Linear Polyurethane, 1, 739
Krongauz, V. V.
—; Tortorello, A. J.: Reactive Diluents and Properties of Ultraviolet-Cured Polycarbonate Urethane Acrylates, 1627
Kufelnicki, A. See Bodek, K. H., 645
Kulkarni, M. R. See Sareen, R., 209
Kumar, R. N. See Rozman, H. D., 1291
Kumar, S. See Khosravi, N., 781
Kuo, J.-F. See Lee, W. S., 1183
Kuo, Y. M. See Lee, J. J., 1005
Kurihara, S.
—; Yoshimura, K.; Ogata, T.; Nonaka, T.: Preparation of Glass-Fiber Membranes Grafted with Poly(NIPAAm Containing Triphenylmethane Leucocyanide) and Permeation of Solutes Through the Membranes, 887
Kuznetsov, A. Y.
—; Bagryansky, V. A.; Petrov, A. K.: The Surface Relaxation of Glow Discharge-Treated Silicone Polymer, 201
Lai, J.-Y. See Lee, K.-R., 961
Lambla, M. See Sun, Y.-J., 1043
Lam-Leung, S. Y.
—; Li, H. R.: A Study on the Preparation and Properties of the Heterogeneous Cation-Exchange Membranes of Sulfonated Polystyrene/Divinyl Benzene on an Acetal Base, 1373
Lauke, B. See Yang, Z.-G., 679
Lee, C. S.
—; Bell, J. P.: Polymer Coatings by Electropolymerization of Some Vinyl Monomers, 931
Lee, C.-F.
—; Chiu, W.-Y.; Chern, Y.-C.: Kinetic Study on the Poly(methyl methacrylate) Seeded Soapless Emulsion Polymerization of Styrene. II. Kinetic Model, 591
Lee, J. J.
—; Chi, Z. K.; Kuo, Y. M.; Chao, D. Y.: Effect of the Concentration of Dye on the Physical Property of Dye-Based Polyurethane Ionomer, 1005
Lee, K.-H. See Kim, J.-H., 1637
Lee, K.-R.
—; Lai, J.-Y.: Pervaporation of Aqueous Alcohol Mixtures Through a Membrane Prepared by Grafting of Polar Monomer onto Nylon 4, 961
Lee, N.-J. See Gam, G.-T., 219
Lee, T. S.
—; Hong, S. I.: Synthesis and Metal Binding Properties of Poly(hydroxamic acid) Resins from Poly(ethyl acrylate-*co*-divinylbenzene) Beads, 311
Lee, W. S.
—; Chang-Chien, G.-P.; Kuo, J.-F.: Synthesis, Characterization, and Thermotropic Properties of Side-Chain Liquid Crystalline Polysiloxane Polymers with an

Oligo(ethylene oxide) Unit in the Side Chain, 1183
Lee, Y. F. See Hsu, K. C., 1205, 1501
Lee, Y.-W. See Gam, G.-T., 219
Lehrfeld, J.
—; Baker, F. L.: The Synthesis and Properties of a Cation-Exchange Resin Prepared by the Pyrolysis of Starch in the Presence of Phytic Acid, 385
Li, B. See Di, Y., 989; Han, Y., 655
Li, H. R. See Lam-Leung, S. Y., 1373
Liang, L. See Ruckenstein, E., 605
Liao, D. C. See Hsieh, K. H., 319
Liao, K.
—; Chen, X.; Zheng, C.: Surface Modification of Calcium Carbonate Used for Polypropylene Blending with Dimeric Aluminates, 1245
Lie, L. X. See Fai, W. K., 1285
Likhatchev, D.
—; Alexandrova, L.; Tlenkopatchev, M.; Vilar, R.; Vera-Graziano, R.: Soluble Aromatic Polyimides and Polyamides Based on 4,4′-Diaminotriphenylmethane, 37
Lim, W. W.
—; Mizumachi, H.: Fracture Toughness of Adhesive Joints. II. Temperature and Rate Dependencies of Mode I Fracture Toughness and Adhesive Tensile Strength, 55
Lin, D. G.
—; Eliseeva, I. M.: Transfer of Copper and Zinc in Polymeric Materials Oxidized in Contact with Brass, 1269
Liu, J. See Luo, X., 467
Lorenz, G.
—; Klee, D.; Höcker, H.; Mittermayer, C.: Characterization of Surface-Modified Polyurethane Blends, Poly(vinyl alcohol), and Poly(4-hydroxybutyl acrylate) for Biomedical Application by Electron Spin Resonance Spectroscopy, 391
Louden, J. D.
Measurement of Cure in Optical Fiber Coatings by Infrared Microspectroscopy, 1575
Løvgren, T. B. See Andreassen, E., 1075
Lu, S. X.
—; Cebe, P.; Capel, M.: NEW-TPI Thermoplastic Polyimide: Structure and Relaxation Using SAXS and TSDC, 1359
Luo, X.
—; Liu, J.; Ma, D.: Exploration of the Difference of Reaction Rates for Polyester and Polyether Urethane Prepolymers with 3,3′-Dichloro-4,4′-Diaminodiphenylmethane, 467

Ma, D. See Luo, X., 467
Macías, A. See Ibarra, L., 831
Makarova, L. I. See Gorelova, M. M., 227
Mandal, S. K. See Debnath, S. C., 555
Manero, O. See Alcántar, N. A., 1173
Mantecón, A. See Galià, M., 413
Marino, G. See Di, Y., 989
Maruyama, H. See Okaya, T., 1645
Matsuoka, T.
—; Yamamoto, S.: Computer Simulation of Phase Separation in Binary Polymer Mixtures, 353
Matsuura, T. See Yamasaki, A., 1473
Mavridis, H. See Shroff, R., 1605
McGill, W. J. See Giuliani, B. V. M. K., 1391
McKenna, T. F.
—; Dupuy, J.; Spitz, R.: Modeling of Transfer Phenomena on Heterogeneous Ziegler Catalysts: Differences Between Theory and Experiment in Olefin Polymerization (An Introduction), 371
Mead, D. W.
Evolution of the Molecular Weight Distribution and Linear Viscoelastic Rheological Properties During the Reactive Extrusion of Polypropylene, 151
Mehl, N. A.
—; Rebenfeld, L.: Crystallization Kinetics of PPS Composites and Quantification of Fiber Nucleation Density Using a Computer Simulation, 187
Meira, G. R. See De La Cal, J. C., 1063
Miltz, J. See Yanai, G., 303
Mittermayer, C. See Lorenz, G., 391
Miura, S. See Iijima, T., 819
Mizumachi, H. See Kim, H.-J., 175
Mizumachi, H. See Lim, W. W., 55
Moaddeb, M.
—; Koros, W. J.: Effects of Orientation on the Transport of *d*-Limonene in Polypropylene, 687
Morales, G.
—; Castro, E.; Kaluyzhnaya, E.; Guerrero-Santos, R.: Synthesis of Graft Copolymers: Part I: Synthesis of Macroinitiators, 997
Morbidelli, M. See Canegallo, S., 1333; Durackova, S., 639
Moriyoshi, T. See Kajitani, T., 587
Mosleh, S. See Gawish, S. M., 45
Mostert, H. A. M. See Winter, H., 1409

Murthy, N. S. See Khosravi, N., 781
Myhre, O. J. See Andreassen, E., 1075

Nagaoka, S. See Kawakami, H., 789
Nagendrappa, G. See Padma, A., 401
Nakamura, N.
Study on Ketalization Reaction of Poly(vinyl alcohol) by Ketone VII Reaction Between Poly(vinyl alcohol) and Aromatic Ketones and Behavior of Poly(vinyl ketal) in Water, 1145
Narayan, R. See Bhattacharya, M., 539
Narayanan, S. See Bhowmick, A. K., 631
Neuhäusler, S. See Friedrich, C., 499
Ni, Y.
—; Hu, Q.: Alcell® Lignin Solubility in Ethanol–Water Mixtures, 1441
Nicolais, L. See Di, Y., 989
Nikolov, Al. T. See Kostov, G. K., 1545
Noël, L. F. J.
—; Brouwer, E. C. P.; van Herk, A. M.; German, A. L.: On-Line Gas Chromatography and Densimetry to Obtain Partial Conversions of Both Monomers in Emulsion Copolymerization, 245
Nonaka, T. See Kurihara, S., 887
Nusholtz, G. S. See Keshavaraj, R., 1127

Occhiello, E. See Penco, M., 329
O'Donnell, J. H. See Hill, D. J. T., 1155
Ogata, T. See Kurihara, S., 887
Oh, S.
—; Zeng, Y.; Koo, J.-K.; Zurawsky, W. P.: Permeation of Simple Gases Through Plasma Polymerized Films from Fluorine-Containing Monomers, 1277
Okamoto, M.
—; Shinoda, Y.; Kinami, N.; Okuyama, T.: Nonisothermal Crystallization of Poly(ethylene terephthalate) and Its Blends in the Injection-Molding Process, 1055
Okaya, T.
—; Sato, T.; Ono, I.; Maruyama, H.; Terada, K.: Study on Application of Block Copolymers Composed of Poly(vinyl Alcohol) and Polyacrylamide to Paper Sizing, 1645
Okieimen, F. E.
—; Sogbaike, C. E.: Thermal Dehydrochlorination of Poly(vinyl chloride) in the Presence of Jatropha Seed Oil, 513
Okuyama, T. See Okamoto, M., 1055
Omi, S.
—; Katami, K.; Taguchi, T.; Kaneko, K.; Iso, M.: Synthesis of Uniform PMMA Microspheres Employing Modified SPG (Shirasu Porous Glass) Emulsification Technique, 1013
Ono, I. See Okaya, T., 1645

Paas, G. See Winter, H., 1409
Padma, A.
—; Rao, R. M. V. G. K.; Subramaniam, C.; Nagendrappa, G.: Cure Characterization of Triglycidyl Epoxy/Aromatic Amine Systems, 401
Palma, E. See Ibarra, L., 831
Pan, C. See Tong, J., 895
Pan, G. See Ping, L., 113
Paplham, W. P.
—; Brown, R. A.; Salin, I. M.; Seferis, J. C.: Absorption of Water in Polyimide Resins and Composites, 133
Park, Y.-I. See Kim, J.-H., 1637
Parkhi, P. S. See Kalkar, A. K., 233
Pasternak, M.
Surface Modification of Polypropylene by a Combination of Photooxidation and Photosubstitution Reactions, 1211
Pastorino, M. A. See Penco, M., 329
Paul, W.
—; Sharma, C. P.: Polyacrylonitrile-Reinforced Poly(vinyl alcohol) Membranes: Mechanical and Dialysis Performance, 1447
Pegoraro, M.
—; Severini, F.; Gallo, R.; Zanderighi, L.: Gas Transport Properties of Siloxane Polyurethanes, 421
Pekcan, Ö.
Solvent Effect on Fluorescence Lifetimes at Swollen Glassy–Rubber Interphase Domains in Blendlike Particles, 25
Penco, M.
—; Pastorino, M. A.; Occhiello, E.; Garbassi, F.; Braglia, R.; Giannotta, G.: High-Impact Poly(ethylene terephthalate) Blends, 329
Peppas, N. A. See Jabbari, E., 775
Perera, M. C. S. See Hill, D. J. T., 1155
Pertsin, A. J. See Gorelova, M. M., 227
Petrov, A. K. See Kuznetsov, A. Y., 201
Phayde, H. T. S. See Aminabhavi, T. M., 1419
Pielichowski, J. See Pielichowski, K., 1025
Pielichowski, K.
—; Pielichowski, J.; Hamerton,

I.: Degradation of Poly(vinyl chloride) in the Presence of 9-(2,3-Epoxypropane)carbazole Studied by Means of t.g.a./FTi.r., 1025

Pierlot, A. P.
(Letter to the Editor) Inverse Creep and Inverse Relaxation, 653

Pigeon, M. G.
—; Rudin, A.: Correction for Interdetector Volume in Size Exclusion Chromatography (SEC), 287

Pineri, M. See Rebattet, L., 1595

Ping, L.
—; Pan, G.; Wang, S.; Huang, S.: Study on the Textile Material of PP/EVA/PS Blends. I. The Polarity of PP/EVA/PS Blends (Note), 113

Pisanova, E. V. See Skorokhod, A. Z., 1263

Podkościelny, W. M. See Rayss, J., 1119

Pomery, P. J. See Hill, D. J. T., 1155

Prabhakaran, N. See George, J., 843

Qiu, G. See Tang, Z., 473

Qiu, Q. H. See Ramelow, U. S., 911

Rakow, A. L.
—; Belfiore, L. A.: Extrusion Effects on the Mechanical Properties of Agar, 139

Ram, A. See Yanai, G., 303

Ramelow, U. S.
—; Qiu, Q. H.: Monomer Reactivity Ratios in UV-Initiated Free-Radical Copolymerization Reactions, 911

Rao, R. M. V. G. K. See Padma, A., 401

Rassing, J. See Kjellqvist, K., 1381

Rayss, J.
—; Podkościelny, W. M.; Gorgol, A.; Widomski, J.; Ryczkowski, J.: The Properties of Polymer Protective Coatings of Optical Fibers. II. The Influence of Curing Time on Adhesion of UV-Curable Coatings to Fused Silica Surface, 1119

Rebattet, L.
—; Escoubes, M.; Genies, E.; Pineri, M.: Effect of Doping Treatment on Gas Transport Properties and on Separation Factors of Polyaniline Membranes, 1595

Rebenfeld, L. See Mehl, N. A., 187

Register, R. A. See Taylor-Smith, R. E., 105

Ritchey, W. M. See Wallner, A. S., 1

Rodemann, K.
—; Staude, E.: Preparation and Characterization of Porous Polysulfone Membranes with Spacer-Bonded N-Containing Groups, 903

Rogovina, S. Z.
—; Zhorin, V. A.; Enikolpian, N. S.: Modification of Cellulose in Conditions of Plastic Flow under Pressure, 439

Rösch, J. See Friedrich, C., 499

Rozman, H. D.
—; Kumar, R. N.; Abusamah, A.: Rubberwood–Polymer Composites Based on Diallyl Phthalate and Methyl Methacrylate, 1291

Ruckenstein, E.
—; Liang, L.: Polyacrylamide-Reactive Styrene/Unsaturated Polyester Microgel Composites, 605

Rudin, A. See Bremner, T., 271; Pigeon, M. G., 287

Rueggeberg, F. A. See Tamareselvy, K., 705

Ryczkowski, J. See Rayss, J., 1119

Ryttel, A.
Copolymers of Higher Alkyl Methacrylates with Triallyl Cyanurate, 863

Salin, I. M. See Paplham, W. P., 133

Salinas, M. del R. See Alcántar, N. A., 1173

Sanderson, R. D.
—; Schneider, D. F.; Schreuder, I.: Synthesis and Evaluation of Some Functionalized Difuran Diesters as Plasticizers for PVC, 727

Sareen, R.
—; Kulkarni, M. R.; Gupta, S. K.: Optimization of an Industrial Semibatch Nylon 6 Reactor, 209

Sato, T. See Okaya, T., 1645

Scherer, G. G. See Gupta, B., 855

Scheuchenpflug, W. See Friedrich, C., 499

Schneider, D. F. See Sanderson, R. D., 727

Schreuder, I. See Sanderson, R. D., 727

Scicchitano, M. See Tonelli, C., 1031

Seferis, J. C. See Paplham, W. P., 133

Semwal, R. P. See Banerjee, S., 1483

Seppälä, J. V. See Holsti-Miettinen, R. M., 573

Serra, A. See Galià, M., 413

Severini, F. See Pegoraro, M., 421

Sharma, C. P. See Paul, W., 1447

Shen, J. R. See Jiang, S. H., 493

Shi, Y.
—; Wu, M.: Effects of Catalyst on Sequence Distribution and Transparency of Poly(tetramethylene terephthalate)–Poly(tetramethylene ether) Segmented Copolymers, 1311

Shinoda, Y. See Okamoto, M., 1055
Shiraishi, M. See Hatori, H., 871
Shishoo, R. L. See Epstein, M., 751
Shroff, R.
—; Mavridis, H.: New Measures of Polydispersity from Rheological Data on Polymer Melts, 1605
Shukla, S. R.
—; Athalye, A. R.: Mechanical and Thermal Properties of Glycidyl Methacrylate Grafted Cotton Cellulose, 983
Shyichuk, A. V.
The Degradation Index Calculation from the Viscometry Data (Note), 1261
Sironi, C. See Tang, Z., 473
Skorokhod, A. Z.
—; Pisanova, E. V.; Zhandarov, S. F.; Yurkevich, O. R.: Transformation of Polymers in a Stream of Low-Temperature Arc Discharge Plasma, 1263
Skyllas-Kazacos, M. See Haddadi-Asl, V., 1455
Smeets, P. J. H. M. See Winter, H., 1409
Smetsers, P. See Hill, D. J. T., 1155
Snow, A. W. See Boyle, M. E., 77
Sogbaike, C. E. See Okieimen, F. E., 513
Spitz, R. See McKenna, T. F., 371
Staude, E. See Rodemann, K., 903
Storti, G. See Canegallo, S., 1333
Subramaniam, C. See Padma, A., 401
Suleimenov, I. See Budtova, T., 1653
Sun, B.
—; Yu, T. L.: Effects of Low-Profile Additives on the Curing Reaction of Unsaturated Polyester Resins, 7
Sun, Y.-J.
—; Hu, G.-H.; Lambla, M.: Free Radical Grafting of Glycidyl Methacrylate onto Polypropylene in a Co-Rotating Twin Screw Extruder, 1043
Sung, C. S. P. See Kim, Y. S., 363
Sutter, J. K.
—; Jobe, J. M.; Crane, E. A.: Statistical Design in Isothermal Aging of Polyimide Resins, 1491
Syre, A. M. V. See Andreassen, E., 1075

Taguchi, T. See Omi, S., 1013
Tamareselvy, K.
—; Rueggeberg, F. A.: Synthesis and Characterization of a Monofunctional Analog to BIS-GMA: A Dental Monomer, 705
Tang, Z.
—; Qiu, G.; Huang, N.; Sironi, C.: Solid-State Polycondensation of Poly(ethylene terephthalate): Kinetics and Mechanism, 473
Taylor-Smith, R. E.
—; Register, R. A.: Modeling Intercomponent Mixing Effects in Rubber-Modified Glassy Polymers, 105
Terada, K. See Okaya, T., 1645
Terlingen, J. G. A.
—; Gerritsen, H. F. C.; Hoffman, A. S.; Feijen, J.: Introduction of Functional Groups on Polyethylene Surfaces by a Carbon Dioxide Plasma Treatment, 969
Teschke, O.
—; Kleinke, M. U.; Galembeck, F.: Mechanical Instability of Swollen PVC Films, 1567
Thomas, S. See George, J., 449, 843
Tlenkopatchev, M. See Likhatchev, D., 37
Tock, R. W. See Keshavaraj, R., 1127
Tolstopyatov, E. M. See Krasovsky, A. M., 117
Tomoi, M. See Iijima, T., 819
Tonelli, C.
—; Trombetta, T.; Scicchitano, M.; Castiglioni, G.: New Perfluoropolyether Soft Segment Containing Polyurethanes, 1031
Tong, J.
—; Bai, R.; Pan, C.; Goethals, E. J.: Flexibility Improvement of Epoxy Resin by Using Polysiloxane–PGMA (MMA) Composite Particles, 895
Tortorello, A. J. See Krongauz, V. V., 1627
Trombetta, T. See Tonelli, C., 1031
Tucker, P. A. See Denton, J. S., 939
Tyagi, R. K. See Yamasaki, A., 1473

Uosaki, Y. See Kajitani, T., 587

Vaidya, U. R. See Bhattacharya, M., 539
Van Den Heuvel, C. J. M. See Jager, J., 1429
van Herk, A. M. See Noël, L. F. J., 245
Varma, I. K. See Bharel, R., 767
Varughese, K. T. See George, J., 449
Vera-Graziano, R. See Likhatchev, D., 37
Vilar, R. See Likhatchev, D., 37
Volkov, I. O. See Gorelova, M. M., 227

Wallner, A. S.
—; Ritchey, W. M.: Applications of Magnetic Resonance

Imaging to Ion-Exchange Resins, 1
Wan, G. See Zheng, Y., 623
Wang, H.-H.
—; Chen, J.-C.: Toughening of Epoxy Resin by Reacting with Functional Terminated-Polyurethanes, 671
Wang, S. See Ping, L., 113
Wang, X. See Han, Y., 655
Wang, X. M. See Kim, H. S., 811
Warner, S. B. See Khosravi, N., 781
Wessel, T. E. See Huang, Y.-B., 1227
Wesslén, B. See Kjellqvist, K., 1381
Widomski, J. See Rayss, J., 1119
Winter, H.
—; Mostert, H. A. M.; Smeets, P. J. H. M.; Paas, G.: Recycling of Sheet-Molding Compounds by Chemical Routes, 1409
Woo, E. M. See Chen, J.-M., 877
Wu, M. See Shi, Y., 1311

Yahya, G. O.
—; Ali, S. A.; Al-Naafa, M. A.; Hamad, E. Z.: Preparation and Viscosity Behavior of Hydrophobically Modified Poly(vinyl alcohol) (PVA), 343
Yamada, Y. See Hatori, H., 871
Yamamoto, S. See Matsuoka, T., 353
Yamasaki, A.
—; Tyagi, R. K.; Fouda, A.; Matsuura, T.: Effect of Evaporation Time on the Pervaporation Characteristics through Homogeneous Aromatic Polyamide Membranes. 1. Pure Water Permeation and Membrane Characterization by Sorption Measurements, 1473
Yanai, G.
—; Ram, A.; Miltz, J.: Accelerated Weathering-Induced Degradation of Unprotected Multilayer Polyethylene Slabs. I, 303
Yang, Y. See Han, Y., 655
Yang, Z.-G.
—; Lauke, B.: Investigations on the Simulation of the Reactive Extrusion of Nylon 6, 679
Yoon, B. S. See Kim, K. J., 1347
Yoon, K. J. See Kim, K. J., 1347
Yoshimura, K. See Kurihara, S., 887
Yu, T. L. See Sun, B., 7
Yue, J. J. See Hinkley, J. A., 1539
Yurkevich, O. R. See Skorokhod, A. Z., 1263

Zaman, M. M. See Khan, M. A., 953
Zanderighi, L. See Pegoraro, M., 421
Zeng, Y. See Oh, S., 1277
Zhandarov, S. F. See Skorokhod, A. Z., 1263
Zhang, D. See Bhattacharya, M., 539
Zhao, Q.
—; Bartsch, R. A.: Synthesis of Formaldehyde-Dibenzo-18-crown-6 Condensation Resins Containing Phosphonic Acid Groups and Their Alkali-Metal Cation Sorption, 1465
Zhdanov, A. A. See Gorelova, M. M., 227
Zheng, C. See Liao, K., 1245
Zheng, Y.
—; Wan, G.: Cationic Conduction in Oligoether Salt–Comblike Polyether Complex, 623
Zhorin, V. A. See Rogovina, S. Z., 439
Zhu, M. D. See Fai, W. K., 1285
Zryd, J. L.
—; Burghardt, W. R.: Phase Separation, Crystallization and Structure Formation in Immiscible Polymer Solutions, 1525
Zurawsky, W. P. See Oh, S., 1277

Journal of Applied Polymer Science

Subject Index to Volume 57

Absorption–desorption histories, 1557
Acetal-based membranes, 1373
Acid-catalyzed crosslinking processes, 1381
Acid-curing coating system, 1381
Additive leaching, 613
Adhesion, 201, 1119
Adhesive joints, 55
Adhesive tensile strength, 55
Adhesives, 175
Adiabatic anionic polymerization, 1347
Agar, 139
Aging, 631
ALCELL® process, 1441
Aliphatic polymers, 87
Alloy component transfer, 1269
Annealing, 265
Antioxidant, 271
Antioxidants, 1511
Antitumor agent, 219
Aqueous solutions, in density gradient columns, 509
Aromatic ketones, 1145
Aromatic polyamides, 37
Aromatic polyimides, 37, 789, 1359
Arrhenius temperature dependence, 133
Attenuated total reflectance (ATR), 1585

Binary polymer mixtures, 353
Biomedical polymers, 391
Biopolymers, 145
Blends, 105, 113, 175, 227, 233, 329, 391, 449, 533, 539, 573, 631, 1025, 1055, 1245, 1319, 1419
Block copolymers, 1645
Bulk-molding compounds (BMC), 1409

Capillary rheometry, 1233
Carbon black, 555
Carbon dioxide plasma treatment, 969
Carbon–polymer composite electrodes, 1455
Carboxylic ion-exchange membranes, 1315
Catalyst heat treatment, 1291
Catalysts, 1311
Cation-exchange beads, 1
Cation-exchange resin, 385
Cationic conductivity, 623
Cellulose derivatives, 439
Cement mortars, 1205
Chain extension reaction, 467
Chelating resins, 311
Chemical modification, 343
Chemical warfare (CW) agents, 1483
Chitosan, 645
Cholesteric order, 493
CO_2 sorption, 587
Co-rotating twin screw extruder, 1043
Coatings, 519, 931, 1119, 1251, 1263, 1575
Collision theory, 739
Compact-spinning process, 1075
Compatibilization, 573
Complex impedance spectroscopy, 431
Composite hydrogels, 1299
Composites, 187, 431, 493, 605, 751, 831, 843, 1251, 1291
Composition drift, 245
Computer simulation, 353
Conductor fillers, 431
Controlling mechanism, SSP, 473
Copolymers, 863
Copper (II) Transfer, 1315
Core–shell particles, 1381
Core–shell structure, 591
Coumarin, 255
Counterrotating twin-screw extruder, 679
Crazing, 811
Critical micellar concentration, 639
Crosslinking, 421, 1155
Crosslinking agents, 1381
Crystallization, 781, 877, 939, 1359, 1525
Crystallization exotherm, 1347
Crystallization kinetics, 187
Cure reaction, 413
Curing, 7, 401, 413, 1119

d-limonene transport, 687
Degradation, 265, 271, 1025, 1043, 1261
Degradation mechanism, 87
Dehydrochlorination, 513
Density, 363
Density gradient columns, 509
Dental composites, 705
Desorption, 1419
Differential interference microscopy, 563
Differential scanning calorimetry (DSC), 7, 401, 413, 855, 877, 989, 1075, 1183, 1391, 1525
Differential thermal analysis (DTA), 233
Diffusion, 1419
Diluents, 953
Dilute solution viscometry (DSV) technique, 1261
Doi–Edwards viscoelastic model, 1173
Doping treatment, 1595
Double reptation mixing rule, 151
Dry/wet phase inversion, 613
Dry–wet spinning, 1637
Dye-based polyurethane ionomer, 1005
Dyes, 1005
Dynamic laser light scattering (LLS), 1285

Dynamic light scattering (DLS), 1105
Dynamic mechanical analysis (DMA), 233
Dynamic oscillation, 1233

Ecologically pure production processes, 439
Elastomeric composites, 751
Elastomers, 895
Electroinitiated polymerization coatings, 931
Electrolytes, 623
Electron energy-loss spectroscopy (EELS), 775
Electron spin resonance (ESR), 1155
Electron spin resonance (ESR) spectroscopy, 391
Elongation ratio, 1245
Emulsification, 1013
Emulsifiers, 639
Emulsion copolymerization, 245
Emulsion copolymerization systems, 1217
Emulsion copolymers, 1063
Emulsion polymerization, 591, 1333, 1381
Epoxy composites, 133
Epoxy functionalized siloxanes (EFS), 1251
Epoxy reactivity, 573
Epoxy resins, 671, 819, 895
ϵ-caprolactam, 1347
Ethanol–water mixtures, 1441
Exchange reactions, 1391
Extrusion, 139, 151

Fabric permeability, 1127
Fatigue crack growth (FCG), 811
Fiber nucleation density, 187
Fiber orientation, 133
Fiber type, 751
Fiber-surface properties, 751
Fiber/matrix interface, 671
Fibers, 187, 781, 831, 843, 1075, 1119, 1429
Fickian transport, 687
Fick's mathematical relations, 1419
Film-grade resins, 1227
Films, 587, 663, 687, 1627
Flexibility, 895
Flexible-chain polymers, 37
Flory–Huggins free energy, 353
Fluorescence characterization, 363
Fluorescence decay method, 25
Fluorine-containing monomers, 1277
Fluorocarbon polymer finishes, 1585
Fluoropolymers, 1545
Fourier transform infrared (FTIR) microspectroscopy, 1575
Fourier transform infrared (FTIR) spectroscopy, 467
Fourier transform infrared spectroscopy (FTIR), 401, 1025
Fourier-transform infrared (FTIR) spectroscopy, 233
Fracture toughness, 55, 655
Free radical grafting, 1043
Free-radical polymerization, 863
Free-volume model for pervaporation, 63
Functional groups, 969
Functionalized difuran diesters, 727

Gamma preirradiation, 45
Gas permeability, 421, 1277
Gas permeation, 1595
Gas transport, 789
Gel permeation chromatography (GPC), 7, 363, 717
Gel-counting technique, 1227
Gel-spun polyethylene fibers, 781
Gelatinization, 663
Gel–water dispersions, 121
Glass beads, 499
Glass transition temperature (T_g), 767
Glass-fiber membranes (GF membranes), 887
Glow discharge-treated silicone polymer, 201
Glow-discharge air plasma, 201
Glow-discharge plasma, 117
Graft copolymers, 997
Graft polymerization, 895
Graft-interpenetrating polymer networks (graft-IPNs), 319
Grafting, 45, 487, 855, 1043
Gum vulcanizates, 555

Heat transfer Peclet numbers (Pe), 371
Hemodialysis, 1447
Hermans orientation function *f*, 587
Heterogeneous cation-exchange membranes, 1373
High-impact materials, 329
High-performance liquid chromatography (HPLC), 1391
Highly inert fluorinated chains, 1031
Hoffman–Lauritzen theory, 1055
Hollow-fiber membranes, 1637
Homografting polymerization, 961
HSPAN gel–water dispersions, 121
Hydrogels, 1299
Hydrolysis, 335
Hydrophilic membrane barriers, 1211
Hydrophilic monomers, 487
Hydrophobic complexes, 145

Immobilization of enzymes, 487
In situ photopolymerization, 493
In vitro degradation, 87
Industrial semibatch nylon 6 reactor, 209
Industrial yarn applications, 1429
Infrared (IR) spectra, 1005
Injection molded high density polyethylene polyamide-6 blends, 1319
Injection molding, 1055
Interdetector volume, 287
Interdiffusion, 775
Interface, 1319
Interfacial modification, 1319
Interfacial shear strength (IFSS), 671
Interpenetrating polymer networks (IPNs), 319
Interpolymer carboxylic membranes, 1315
Inverse creep, 653
Inverse gas chromatography (IGC), 63
Inverse relaxation, 653
Ion exchange, 335
Ion-exchange membranes, 1373

Ion-exchange resins, 1, 1465
Ionic mobility, 623
Isothermal aging, 1491, 1539
Isothermal crystallization, 533
Isothermal crystallization kinetics, 877
Isothermal cures, 401

J-integral analysis, 655
Jatropha seed oil, 513

Katchalsky–Spitnik equation, 645
Kerner–Dickie model, 105
Ketalization reaction, 1145
Kinetic reaction network, 739

Langevin equation, 353
Laser interferometry, 717
Lignin solubility, 1441
Linear chain polyurethane, synthesis, 739
Linear elastic fracture mechanics (LEFM), 655
Linear regression, 1105
Linear viscoelastic behavior, 653
Links, 1085
Liquid phase separation, 1525
Liquid transport, 1557
Low Earth orbit (LEO) environment, 1251
Low mol fractions, 767
Low-frequency intramolecular vibrations, 25
Low-profile additives (LPA), 7
Low-temperature arc discharge plasma, 1263
Lubricants, 797

Macroinitiators, 997
Macroporous carbons, 871
Magnetic resonance imaging (MRI), 1
Mark–Houwink–Sakurada (MHS) equation, 1261
Mass transfer, 371
Matrix flow behavior, 751
Mean field approximation, 175
Melt blending, 449
Melt spinning, 939, 1429
Membrane separation processes, 1473
Membranes, 563, 613, 1447, 1473, 1595, 1637
Metal binding, 311
Metal cations, 1465
Metal ions, 77
Microcrystalline chitosan (MCCh), 645
Microgel composites, 605
Microporous glass membrane, 1013
Microspheres, 921
Minimum-time strategy, 1063
Mixing parameters, 449
Modeling heat, 371
Modified Haake Rheometer, 679
Molecular weight distribution (MWD), 151, 1075, 1261
Monodispersed microspheres, 921
Monofunctional BIS-GMA monomer, 705
Monomer reactivity ratios, 911
Multidetector systems, 287
Mutual diffusivities, 563

N-glycinylmaleimide (GMI), 219
Narayanaswamy–Tool model, 989
Natural rubber, 1511
Natural rubber (NR) latex, 1155
Natural-rubber sheets, 1483
Neural network architecture, 1127
New-TPI thermoplastic polyimide, 1359
Nitrile bound rubber (NBR) latex, 1511
Nonaqueous reversed-phase HPLC, 145
Nonisothermal crystallization, 1055
Nonlinear optical properties, 77
Nonporous polymers, 1557
Novel ionomers, 255
Nuclear magnetic resonance (NMR), 911
Nuclear magnetic resonance (NMR) spectroscopy, 1155, 1183, 1311
Nylon 6, 679
Nylon 6 fibers, 265

Olefin polymerization, 371
On-line conversion monitoring, 1333
On-line densimetry, 245
On-line gas chromatography, 245
One-variable search technique, 209
Optical fiber coatings, 1575
Optical fibers, 1119
Optimal monomer addition, 1217
Optimal monomer addition policy, 1063
Oxidative aging, 1539
Oxidative transformations, 1269
Oxygen mustard (OM), 1483

Paper additives, 1645
Pectin/starch films, 663
Perfluoropolyether (PFPE) blocks, 1031
Perfluoropolyethers (PFPEs), 797
Peripherally functionalized phthalocyanine monomers, 77
Peroxide modification, 271
Pervaporation, 63, 961, 1473
Phase mixing, 105
Phase separation, 353, 903, 1525, 1645
Phase-inversion membranes, 871
Phenolphthalein polyether ketone (PEK-C), 655
PhotoAcoustic spectroscopy (PAS), 1585
Photoiniators, 519
Photoinitiator, 983
Photooxidation, 1211
Photooxidative degradation, 303
Physical aging, 989
Plasma decomposition, 117
Plasma polymer membranes, 1277
Plasma treatment, 969
Plastic flow, 439
Plasticizer, 953
Plasticizers, 727
Polarized optical microscopy, 1183
Poly(acrylamide)–starch graft copolymer, 335
Poly(methyl methacrylate) (PMMA) microspheres, 1013
Poly(vinyl chloride) (PVC) films, 1567
Poly-*p*-xylylene (PPX) films, 117
Polyamides, 563

Polyaniline membranes, 1595
Polydispersity, 1605
Polyelectrolyte grafting, 1447
Polyelectrolyte hydrogels, 1653
Polyester–styrene thermoset resin, 1409
Polyether–polyester segmented copolymer, 1311
Polyimide resins, 133
Polyimides, 1491
Polymer chain segments, 37
Polymer coatings deposition, 1263
Polymer drugs, 219
Polymer matrix composites (PMC), 1491
Polymer melts, 1605
Polymer precipitation, 613
Polymer weight fraction, 563
Polymer-polymer interface, 775
Polymer/plasticizer blend system, 233
Polymeric solid electrolytes, 623
Polymerization parameters, 921
Polypropylene (PP), 113
Polystyrene (PS) melts, 499
Polyurethane ionomers, 1005
Preirradiation, 45
Prepolymers, 467
Pressure-sensitive adhesives, 175
Proton exchange membranes, 855
Pseudocrosslink, 1085, 1095
Purifying technologies, 1653
Pyrolysis, 385

Radiation grafting, 855
Radiation vulcanization, 1155
Radiation-induced grafting, 45
Radical copolymerization of tetrafluoroethylene (TFE) with ethylene (E), 1545
Random chain scission statistics, 151
Random coil polymers, 1105
Reaction rate, 467
Reactive diluents, 1627
Reactive microgels (RM), 605
Redesorption, 1419
Refractive index, 363
Resins, 311, 385, 1465, 1491, 1501
Resorption, 1419
Rheological measurements, 1233
Rheology, 1095
Rheology fundamentals, 1605
Rubber-modified glassy polymers, 105
Rubbers, 631

Safety restraint systems, 1127
Scanning electron microscopy (SEM), 385, 499, 539, 983
Seeded soapless emulsion polymerization, 591
Segmented copolymer, of PET–PCL, 1285
Segmented polyurethanes (FPU), 1031
Self-quenching, 25
Sequence distribution, 1311
Sequential crystallization kinetics, 877
Shear deformation, 439
Sheet-molding compounds (SMC), 1409
Shirasu porous glass (SPG), 1013
Short fiber-reinforced composites, 831
Short pineapple-leaf-fiber-(PALF)-reinforced low-density polyethylene (LDPE) composites, 843
Side-chain liquid crystalline polymers (SCLCPs), 1183
Simultaneous polymerization technique, 319
Size exclusion chromatography (SEC), 287
Small-amplitude oscillatory shear flow, 1173
Small-angle X-ray scattering (SAXS), 1359
Soft coatings, 1567
Solid-state polycondensation (SSP), 473
Solutes, 887
Solution polymerization, 921
Solvent evaporation, 613
Solvent retention, 717
Solvent–nonsolvent exchange, 613
Sonic pulse propagation measurements, 233
Sorption, 1419
Spacer-bonded epoxy groups, 903
Spin coating, 717
Spinning, 1637
Spot disc test (SDT) method, 1483
Starch, 539
Starch/EPMA blends, 539
Static light scattering (SLS), 1105
Statistical process control (SPC), 1233
Steady-state melt spinning, 939
Stress-relaxation spectrum, 1095
Structural reaction injection-molding (SRIM), 751
Styrene–coumarin copolymer, 255
Sulfide exchange reaction, 1391
Sulfonated phenolic resin (SPR), 1205
Sulfur mustard (SM), 1483
Superplasticizers (SPs), 1501
Surface energy, 631
Surface modification, 631, 1245
Surface relaxation, 201
Surface segregation, 227
Surface wettability, 1211
Surlyn particles, 1055
Suspension copolymerization, 1545
Swelling, 1299, 1567

Temperature–rate superposition principle, 55
Thermal conduction, 1347
Thermal degradation, 513
Thermal imidization, 37
Thermal polymeric initiators, 997
Thermally induced phase separation (TIPS), 1525
Thermally stimulated depolarization current (TSDC), 1359
Thermogravimetric analysis (TA), 1025
Thermooxidative degradation, 265
Thermoplastic elastomer matrix materials, 831
Thermoplastic elastomers, 1311
Thermoplastic polyimides, 1539
Thermoplastics, 989
Threadline dynamics, 939
Time vs. temperature, 401
Toughening agents, 329

Toughening mechanism, epoxy resins, 819
Transfer of brass components, 1269
Transfer phenomena, 371
Transition temperatures, 1085
Transmembrane pressure, 1447
Transmission electron microscopy (TEM), 591
Transmission electron microscopy and energy dispersive spectroscopy (TEM/EDS), 775
Transparency, 1311

Ultrafiltration membranes, 903
Ultrasound propagation velocity, 1333
Ultrasound propagation velocity measurements, 639
Ultraviolet (UV) curable coatings, 1627
Ultraviolet (UV) techniques, 363
Ultraviolet (UV)-curable coatings, 519
Ultraviolet (UV)-curable protective coatings, 1119
Ultraviolet (UV)-cured films, 953
Ultraviolet (UV)-radiation-induced graft-copolymerization, 983
Ultraviolet (UV)-radiation-initiated free-radical polymerization, 911
Uniaxial drawing experiments, 587
Unsaturated polyester (UPE) resins, 7

Vanadium redox flow battery, 1455
van't Hoff relation, 1419
Vinyl polymerization, 363
Vinyl-content polybutadienes, 1173
Vulcanizates, 555, 1511

Water absorption, 133
Water contact angle measurements, 969
Water reducing admixture, 1205
Water-soluble hydrophobic association polymers, 343
Water-soluble sulfonated resins, 1501
Water–oil interface, 605
Weathering-induced degradation, 303
Weldlines, 1319
Wide-angle X-ray diffraction (WAXD), 233
Wood-polymer composites (WPC), 1291

X-ray diffraction, 983
X-ray photoelectron spectroscopy (XPS), 227, 391, 969

Ziegler-type catalysts, 371
Ziegler–Natta catalysts, 371